# RoseDowns

# ST200R RENDERING PRESS



PRESSING EXCELLENCE

The innovative design of the ST200R Screw Press is a result of RoseDowns industry experience and knowledge, which has been gained over many years as one of the world leaders in the field of Oils and Fats.

## ST200R RENDERING PRESS

### **Design Basis**

- · High Reliability
- Maintenance Friendly
- Flexible Layout & Installation
- Value Added Options

### **Key Features**

- Feeder Assembly
- Worm Assembly
- Gearbox & Thrust Assembly
- Discharge End Bearing
- Stainless Steel Covers

### **Press Options**

- Barring Motor
- Cake Breaker
- Press Handing
- Shaft Cooling
- Feeder Layout
- Safety Inspection Kit
- · Fines Brush

RoseDowns

global solutions provider of presses & parts for oilseeds and rendering



One piece cast cage opens to 180° for ease



**Multistage Worm Assembly** Unrivaled wear performance.



**Aspiration Points** Removing steamy acidic vapors for longterm protection of the press.



**Heavy Duty** Strong rigid frame with access.



**Dimensions** 

**Clean Lines** 

Weight

Stainless steel covers and choke coverings for machine & food safety.



**Cake Breaker** 

Gearbox Oil Cooler\*

Designed to break the fresh cake in the discharge end of the press, minimising wear & power consumption.

**Installed Power** (Subject to application)

2.2 kW (3.0 HP)





Length	4,000 mm	Overall Press	11,000 kg	Main Motor	90-150 kW (120-200 HP)
Frame Width	1,000 mm	Half Cage	1,500 kg	Base Conveyor	0.75 kW (1.0 HP)
Max Width	1,500 mm	Worm Assy	1,000 kg	Vertical Feeder*	1.5-3.0 kW (2.0-4.0 HP)
Frame Height	1,500 mm	Gearbox	1,900 kg	Horizontal Feeder	1.5-3.0 kW (2.0-4.0 HP)
Inlet Height	1,900 mm			Cake Breaker*	3.0 kW (4.0 HP)
Cage Bore	250 mm			Barring Motor*	7.5 kW (10 HP)

# OFSIGN AND MANUFACTURE OF SCREW PRESSES



Cannon Street - Kingston Upon Hull HU2 OAD - United Kingdom Tel: +44 (0)1482 329864 | E-mail: sales@rosedowns.co.uk

Großer Weidenweg 3a - 27367 Ahausen/Eversen - Germany Tel: +49 (0)4231-982 88 0



rosedowns.co.uk